

# 32 Inches Plastic Case LCD Monitor

MW3232-V-K2



## Features


- Plastic casing, even lighter.
- New color management module delivers true to life colors.
- Ultra narrow bezel, ultra slim depth, light weight and elegant.
- Wide 178 viewing angles allow viewing from almost any direction.
- Automatic detection of signal cable connection.
- Stable structural design, highly durable.
- Easy pedestal assembly/disassembly. Flexible wall mount and pedestal mount, saving space.

## Specifications


| Panel                           | Description |
|---------------------------------|-------------|
| Panel Size                      | 32"         |
| Pixel Pitch (H x V) (mm)        | 0.36 x 0.36 |
| Resolution                      | 1920 x 1080 |
| Color Support                   | 16.7 M      |
| Brightness (cd/m <sup>2</sup> ) | 300         |
| Contrast Ratio                  | 4000:1      |
| Refresh Rate                    | 75 Hz       |

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Response Time (ms)                  | 8                                                                                                                  |
| Viewing Angle (H/V)                 | Horizontal 178°, Vertical 178°                                                                                     |
| Display Size (mm)                   | 698.40 x 392.85                                                                                                    |
| Operation Hour                      | 24/7                                                                                                               |
| Interface                           | Description                                                                                                        |
| Video Input                         | 1 x VGA, 1 x HDMI                                                                                                  |
| Audio Input                         | 1 x Audio                                                                                                          |
| Speaker                             | Description                                                                                                        |
| Speaker                             | 2 x 2 W                                                                                                            |
| VESA                                | Description                                                                                                        |
| VESA (mm)                           | 100 x 100                                                                                                          |
| Wall-mounted Thread                 | 4-M4 Screw Holes, 8mm Deep                                                                                         |
| OSD                                 | Description                                                                                                        |
| Multi-Language                      | Polish, Dutch, Italian, German, Portuguese, Spanish, French, English, Simplified Chinese, Korean, Russian, Turkish |
| General                             | Description                                                                                                        |
| Input Voltage                       | DC 12V, 3A                                                                                                         |
| Typical Power Consumption (W)       | <36                                                                                                                |
| Standby Power Consumption (W)       | <0.5                                                                                                               |
| Product Dimensions (W x H x D) (mm) | 712.54 x 422.96 x 61.60 (Excluding base)<br>712.54 x 517.14 x 199.64 (Including base)                              |
| Package Dimensions (W x H x D) (mm) | 784 x 512 x 144                                                                                                    |
| Weight (Kg)                         | Net Weight: 4.1<br>Gross Weight: 6                                                                                 |
| Operating Temperature               | 0°C ~ 50°C                                                                                                         |
| Operating Humidity                  | 10% ~ 90% (No Condensation)                                                                                        |
| Storage Temperature                 | -20°C ~ 60°C                                                                                                       |
| Storage Humidity                    | 5% ~ 90% (No Condensation)                                                                                         |
| Optional Accessories                | HB-4022-E                                                                                                          |
| Standard                            | 1 x HDMI Cable, 1 x Base, 1 x Adapter, 1 x Quick Guide                                                             |

## Dimensions



## Interface



## Ordering Info

| Product Model | Description                        |
|---------------|------------------------------------|
| MW3232-V-K2   | 32 Inches Plastic Case LCD Monitor |