





ONE XLR Connector

The Kordz ONE XLR Connector is meticulously crafted to meet the high standards of the professional audio industry. Each 3-Pin Connector boasts a resilient zinc alloy black powder-coated shell for additional durability, and gold-plated solid pins that offer superior signal integrity. These connectors are designed to endure over 5,000 insertions, ensuring long-lasting reliability.


The connector can accommodate a versatile range of cable outer diameters, making it suitable for a variety of audio applications. Its compatibility with international standards, including IEC 61076-2-103, ensures that it fits seamlessly with a wide array of professional audio equipment. The internal pin insert is coloured in Kordz' signature orange, adding a unique visual touch, while maintaining the excellent functionality and performance for which Kordz is known.

- Robust zinc-alloy shell and gold-plated solid pins for durability
- Rated for over 5,000 insertion cycles
- . Compatible with a wide range of cable diameters
- Compliant with IEC 61076-2-103 standards .
- . Unique Kordz orange internal pin insert for easy identification
- UL94 V-0 fire rating
- . Kordz Lifetime Warranty



Technical Specifications	
Conforming Standards	
Construction Standard	IEC 61076-2-103
Fire Rating Standard	UL94 V-0
Construction	
Connector Shell	Die-cast zinc alloy (powder-coated black)
Pin-out Insert	PBT (orange)
Boot + Strain Relief	POM + Thermoplastic Rubber (black)
Pins	Brass, 3-pin, 2µ" Gold plated
Internal Cable Clamp	POM (black)
Mechanical	
Mating Cycles (lifetime)	> 5000 cycles
Compatible Cable Diameter	3.6mm to 6.5mm
Operating Temperature Range	-20°C ~ 80°C
Insertion Force	<20N
Extraction Force	<20N
Electrical	
Contact Resistance	<3 mΩ
Insulation Resistance	>1 GΩ

Dielectric Strength



70.2 mm 2.76 in

Kordz products are sold with a limited warranty as outlined at: www.kordz.com

©2024 Kordz International. All rights reserved. Kordz Connectivity. Assured & Kordz range logos are trademarks or registered trademarks of Kordz International in Hong Kong and in other countries. All other trademarks are the property of their respective owners.

67.8 mi 2.67 ir

1500V/DC