

# WISA 101 SURFACE MOUNT SPEAKER



# WIRELESS HOME CINEMA & MUSIC MADE EASY.

The iO1 speaker elevates your audio experience to cinematic heights, offering the flexibility to create a dynamic home cinema setup in any environment. Use it indoors or outdoors, in any one of six different orientations, for unparalleled versatility. Whether you're connecting wirelessly or via a data cable, the iO1's powerful built-in amplifier and connectivity options ensure premium audio quality that fills your space with rich, immersive sound. With the iO1, transform any space into a theater, bringing movies, gaming, music, and entertainment to life like never before.




























# FOR MOVIES GAMING & MUSIC

Combine WiSA iO1 with:

- Cinema Hub or SoundSend
- Cinema Subwoofer
- Pro Series WiSA Ceiling Speakers


For Dolby Digital or Dolby Atmos Setups for Movies, Gaming and Music















# ONE SPEAKER. SIX INSTALL OPTIONS.



# **Features**

#### Outdoor Rated to Impressive IP66

Weather Resistant IP66 rated protection is extremely waterproof, impenetrable by weather, high pressure jets of water and even a non-sustained total soaking

# All-In-One Solution

Amplifier and Wi-Fi all built-in, just add power

# Place Anywhere

Mount 6 different ways to suit your installation requirements

# WiSA Certified

Connects wirelessly to Cinema Hub or SoundSend to create a home cinema setup

# Built-in AirPlay 2 and Google Chromecast

Stream music directly from your Smart Phone / Tablet using Bluetooth or control multiple rooms at the same time

# Easy Connection

Connect to plug socket or existing light circuit or any power source available 230V or 110V supply

# Multi-Room Audio

Connect multiple iO1's and Lithe Audio Ceiling Speakers for a whole home, indoor and outdoor audio experience

# Dynamic Sound

Fully Adjustable EQ via Lithe App to deliver fine tuned optimal sound

# Choice of Connectivity

Wireless and Wired Connections to use with any streaming service or cabled equipment

#### Audio Spec

RMS Power: 100W RMS (2x 50W)

Frequency Response (-3dB) 60Hz - 20kHz

Frequency Range (-10dB) 38Hz - 20KHz

Impedance: 4 Ohms nominal (8 8)

Sound Quality THD+N <0.01%

Sensitivity (1W/1m): 82dB

Coverage (1-4kHz): Vertical 100° / Horizontal 170°

Type: Class D (Digital)

Audio Compression: 192kHz / 24 bits

# Connectivity

WiSA certified (Requires Cinema Hub or SoundSend)

Wi-Fi certified 2.4Ghz / 5Ghz (802.11a/b/g/n/ac)

10/100 Ethernet Ports (In/Out) (For hardwire connection)

Apple AirPlay 2 and Google Chromecast

Spotify Connect

Bluetooth 5.0

Works with OK Google

Line In (Optical), auto-detecting

# Speaker Spec

 $\textbf{Dimensions:} \; (H \times W \times D) \; 465 \times 170 \times 100 \text{mm}$  $(18.3 \times 6.7 \times 3.9 \text{ inches})$ 

Power Input Supply: 100 - 240V, 50/60Hz / 2.5A

Colour: Matt Black or White

Woofer: 2 x 3" Waterproof Coated Paper Cone

Tweeter: 0.75" Waterproof Coated Silk Dome

Operating Temperature: -10C to 50C (-50F - 122F)

Storage Temperature: -20C to 60C (-68F - 140F)

Net Weight: 3.7kg (8.1lbs) (Single)

Shipping Weight: 9.5kg (20.94lbs) (Pair)

IP Rating: IP66

Housing Material: ABS+PC (UL f1/f2 Certification Standard UL746C-V0)

Grille: Aluminium (UV Powder Coating)

# What's in the box

101 WiSA Surface Mount Speaker Power Supply Mounting Bracket Instruction Manual 16 AWG Tin Coated Copper Cable (included with Pair only)





